				FARM	NUTRIENT MANAGEMENT PLA For Crop Year	4N			
Farm#			Tract #	Fields wi	th Sensitive Areas				
Field	Acres	Source	Form or analysis	Rate	Timing	Method	Planning yr. nutrients (lbs./acre)		
							N	P ₂ O ₅	
		<u> </u>	T						1
	I	T						T .	
Sonsiti	vo Aroa l	Practices:							<u> </u>
Sensill	re Alleu I	ruciices.							
					D 1 0				

Date

Field	Field	Acres	cres Source Form or analysis	Form or analysis	rm or Rate alysis	Timing	Method	Planning yr. nutrients (lbs./acre)		
							N	P ₂ O ₅	17.0	
								11	F ₂ O ₅	K20
				•				_		
								<u> </u>		
								 		
								<u> </u>		
			T	T	T	1				1
			L							
								1		
				Ι		<u> </u>		Т		1
								 		
								<u> </u>		
								<u> </u>	<u> </u>	
								1		
	Sensitiv	e Area P	ractices		l			L		1
						Pageof				
						1 45001				

FARM NUTRIENT MAN	AGEMENT PLAN
For Crop year	2000

____Wilbert Hunter_____

Field	Acres	Source	Form or analysis	Rate	Timing	Method	Planning yr. nutrients (lbs./acre)		
							N	P ₂ O ₅	K ₂ 0
1	30	Manure	Liquid Dairy	6500 gal./acre	Spring	Broadcast-Incorporate within 12-96 hr	107	99	216
		Fertilizer	Unspecified N		Unspecified	Unspecified	80	0	0
									<u> </u>

Sensitive Area Practices: Immediate manure incorporation and no wintertime applications (field 3). Spring commercial fertilizer application (all fields). Filterstrip (field 11). Erosion control practices (fields 11 and 12).